

Instrument Schedule

Theatre I

<u>POSITION</u>	<u>UNIT #</u>	<u>INSTRUMENT TYPE</u>	<u>WATTAGE</u>	<u>PURPOSE</u>	<u>GOBO</u>	<u>CHANNEL</u>	<u>DIMMER</u>	<u>DMX</u>	<u>AREA</u>	<u>COLOR</u>
2ND BAY	1	SOURCE 4 PAR-MFL	575w	APRON FRONT COOL		75			APRON	R62
2ND BAY	2	SOURCE 4 PAR-MFL	575w	APRON FRONT WARM		65			APRON	R05
2ND BAY	3	SOURCE 4 26DEG	575w	FRONT COOL		15			E-J	R62
2ND BAY	4	SOURCE 4 26DEG	575w	FRONT WARM		5			E-J	R05
2ND BAY	5	SOURCE 4 PAR-MFL	575w	APRON FRONT COOL		74			APRON	R62
2ND BAY	6	SOURCE 4 PAR-MFL	575w	APRON FRONT WARM		64			APRON	R05
2ND BAY	7	SOURCE 4 26DEG	575w	FRONT COOL		14			D-I	R62
2ND BAY	8	SOURCE 4 26DEG	575w	FRONT WARM		4			D-I	R05
2ND BAY	9	SOURCE 4 26DEG	575w	FRONT COOL		13			C-H	R62
2ND BAY	10	SOURCE 4 26DEG	575w	FRONT WARM		3			C-H	R05
2ND BAY	11	SOURCE 4 PAR-MFL	575w	APRON FRONT COOL		73			APRON	R62
2ND BAY	12	SOURCE 4 PAR-MFL	575w	APRON FRONT WARM		63			APRON	R05
2ND BAY	13	SOURCE 4 26DEG	575w	FRONT COOL		12			B-G	R62
2ND BAY	14	SOURCE 4 26DEG	575w	FRONT WARM		2			B-G	R05
2ND BAY	15	SOURCE 4 PAR-MFL	575w	APRON FRONT COOL		72			APRON	R62
2ND BAY	16	SOURCE 4 PAR-MFL	575w	APRON FRONT WARM		62			APRON	R05
2ND BAY	17	SOURCE 4 26DEG	575w	FRONT COOL		11			A-F	R62
2ND BAY	18	SOURCE 4 26DEG	575w	FRONT WARM		1			A-F	R05
2ND BAY	19	SOURCE 4 PAR-MFL	575w	APRON FRONT COOL		71			APRON	R62
2ND BAY	20	SOURCE 4 PAR-MFL	575w	APRON FRONT WARM		61			APRON	R05
3RD BAY	1	SOURCE 4 19DEG	575w	FRONT SPECIAL		365			SPECIAL	N/C
3RD BAY	2	SOURCE 4 19DEG	575w	FRONT SPECIAL		364			SPECIAL	N/C
3RD BAY	3	SOURCE 4 19DEG	575w	FRONT SPECIAL		363			SPECIAL	N/C
3RD BAY	4	SOURCE 4 19DEG	575w	FRONT SPECIAL		362			SPECIAL	N/C
3RD BAY	5	SOURCE 4 19DEG	575w	FRONT SPECIAL		361			SPECIAL	N/C
5TH BAY	1	SOURCE 4 19DEG	575w	CURTAIN WARMER		371			CURTAIN	R80
5TH BAY	2	SOURCE 4 19DEG	575w	CURTAIN WARMER		371			CURTAIN	R80
5TH BAY	3	SOURCE 4 19DEG	575w	CURTAIN WARMER		371			CURTAIN	R80
5TH BAY	4	SOURCE 4 19DEG	575w	CURTAIN WARMER		371			CURTAIN	R80

Instrument Schedule

Theatre I

APRON GRID-DS	1	SOURCE 4 50DEG	575w	FRONT COOL		18			O-T	R62
APRON GRID-DS	2	SOURCE 4 50DEG	575w	FRONT WARM		8			O-T	R05
APRON GRID-DS	3	SOURCE 4 50DEG	575w	FRONT COOL		18			N-S	R62
APRON GRID-DS	4	SOURCE 4 50DEG	575w	FRONT WARM		8			N-S	R05
APRON GRID-DS	5	SOURCE 4 50DEG	575w	FRONT COOL		17			M-R	R62
APRON GRID-DS	6	SOURCE 4 50DEG	575w	FRONT WARM		7			M-R	R05
APRON GRID-DS	7	SOURCE 4 50DEG	575w	FRONT COOL		16			L-Q	R62
APRON GRID-DS	8	SOURCE 4 50DEG	575w	FRONT WARM		6			L-Q	R05
APRON GRID-DS	9	SOURCE 4 50DEG	575w	FRONT COOL		16			K-P	R62
APRON GRID-DS	10	SOURCE 4 50DEG	575w	FRONT WARM		6			K-P	R05
APRON GRID-US	1	SOURCE 4 19DEG	575w	FRONT SPECIAL		347			SPECIAL	N/C
APRON GRID-US	2	MAC QUANTUM PROFILE	750w	FRONT MOVER		603			SPECIAL	RGBA
APRON GRID-US	3	SOURCE 4 19DEG	575w	FRONT SPECIAL		346			SPECIAL	N/C
APRON GRID-US	4	SOURCE 4 36DEG	575w	FRONT SPECIAL		345			SPECIAL	N/C
APRON GRID-US	5	MAC QUANTUM PROFILE	750w	FRONT MOVER		602			SPECIAL	RGBA
APRON GRID-US	6	SOURCE 4 36DEG	575w	FRONT SPECIAL		344			SPECIAL	N/C
APRON GRID-US	7	SOURCE 4 36DEG	575w	FRONT SPECIAL		343			SPECIAL	N/C
APRON GRID-US	8	SOURCE 4 19DEG	575w	FRONT SPECIAL		342			SPECIAL	N/C
APRON GRID-US	9	MAC QUANTUM PROFILE	750w	FRONT MOVER		601			SPECIAL	RGBA
APRON GRID-US	10	SOURCE 4 19DEG	575w	FRONT SPECIAL		341			SPECIAL	N/C
1ST LX	1	SOURCE 4 26DEG	575w	HIGH SIDE WARM		145			C-B	R09
1ST LX	2	SOURCE 4 26DEG	575w	HIGH SIDE COOL		155			C-B	R65
1ST LX	3	SOURCE 4 PARNEL	575w	TOP WARM		23			E	R342
1ST LX	4	SOURCE 4 PARNEL	575w	TOP COOL		43			E	R80
1ST LX	5	SOURCE 4 26DEG	575w	TOP SPECIAL		303			SL WING 1	N/C
1ST LX	6	SOURCE 4 PARNEL	575w	TOP WARM		23			D	R342
1ST LX	7	SOURCE 4 PARNEL	575w	TOP COOL		43			D	R80
1ST LX	8	SOURCE 4 26DEG	575w	HIGH SIDE WARM		145			B-A	R09
1ST LX	9	SOURCE 4 26DEG	575w	HIGH SIDE COOL		155			B-A	R65
1ST LX	10	SOURCE 4 PARNEL	575w	TOP WARM		22			C	R342
1ST LX	11	SOURCE 4 26DEG	575w	TOP SPECIAL		302			C WING 1	N/C

Instrument Schedule

Theatre I

1ST LX	12	SOURCE 4 PARNEL	575w	TOP COOL		42			C	R80
1ST LX	13	SOURCE 4 26DEG	575w	HIGH SIDE COOL		151			D-E	R65
1ST LX	14	SOURCE 4 26DEG	575w	HIGH SIDE WARM		141			D-E	R09
1ST LX	15	SOURCE 4 PARNEL	575w	TOP WARM		21			B	R342
1ST LX	16	SOURCE 4 PARNEL	575w	TOP COOL		41			B	R80
1ST LX	17	SOURCE 4 26DEG	575w	TOP SPECIAL		301			1/4 SR W1	N/C
1ST LX	18	SOURCE 4 PARNEL	575w	TOP WARM		21			A	R342
1ST LX	19	SOURCE 4 PARNEL	575w	TOP COOL		41			A	R80
1ST LX	20	SOURCE 4 26DEG	575w	HIGH SIDE COOL		151			C-D	R65
1ST LX	21	SOURCE 4 26DEG	575w	HIGH SIDE WARM		141			C-D	R09
2ND LX	1	SOURCE 4 26DEG	575w	HIGH SIDE WARM		146			H-G	R09
2ND LX	2	SOURCE 4 26DEG	575w	HIGH SIDE COOL		156			H-G	R65
2ND LX	3	SOURCE 4 PARNEL	575w	TOP WARM		26			J	R342
2ND LX	4	SOURCE 4 PARNEL	575w	TOP COOL		46			J	R80
2ND LX	5	SOURCE 4 26DEG	575w	TOP SPECIAL		313			1/4 SL W2	N/C
2ND LX	6	SOURCE 4 PARNEL	575w	TOP WARM		26			I	R342
2ND LX	7	SOURCE 4 PARNEL	575w	TOP COOL		46			I	R80
2ND LX	8	SOURCE 4 26DEG	575w	HIGH SIDE WARM		146			G-F	R09
2ND LX	9	SOURCE 4 26DEG	575w	HIGH SIDE COOL		156			G-F	R65
2ND LX	10	SOURCE 4 PARNEL	575w	TOP WARM		25			H	R342
2ND LX	11	SOURCE 4 26DEG	575w	TOP SPECIAL		312			C WING 2	N/C
2ND LX	12	SOURCE 4 PARNEL	575w	TOP COOL		45			H	R80
2ND LX	13	SOURCE 4 26DEG	575w	HIGH SIDE COOL		152			I-J	R65
2ND LX	14	SOURCE 4 26DEG	575w	HIGH SIDE WARM		142			I-J	R09
2ND LX	15	SOURCE 4 PARNEL	575w	TOP WARM		24			G	R342
2ND LX	16	SOURCE 4 PARNEL	575w	TOP COOL		44			G	R80
2ND LX	17	SOURCE 4 26DEG	575w	TOP SPECIAL		311			1/4 SR W2	N/C
2ND LX	18	SOURCE 4 PARNEL	575w	TOP WARM		24			F	R342
2ND LX	19	SOURCE 4 PARNEL	575w	TOP COOL		44			F	R80
2ND LX	20	SOURCE 4 26DEG	575w	HIGH SIDE COOL		152			H-I	R65
2ND LX	21	SOURCE 4 26DEG	575w	HIGH SIDE WARM		142			H-I	R09

Instrument Schedule

Theatre I

3RD LX	1	SOURCE 4 26DEG	575w	HIGH SIDE WARM		147			M-L	R09
3RD LX	2	SOURCE 4 26DEG	575w	HIGH SIDE COOL		157			M-L	R65
3RD LX	3	SOURCE 4 PARNEL	575w	TOP WARM		29			O	R342
3RD LX	4	SOURCE 4 PARNEL	575w	TOP COOL		49			O	R80
3RD LX	5	SOURCE 4 26DEG	575w	TOP SPECIAL		323			1/4 SL W3	N/C
3RD LX	6	SOURCE 4 PARNEL	575w	TOP WARM		29			N	R342
3RD LX	7	SOURCE 4 PARNEL	575w	TOP COOL		49			N	R80
3RD LX	8	SOURCE 4 26DEG	575w	HIGH SIDE WARM		147			L-K	R09
3RD LX	9	SOURCE 4 26DEG	575w	HIGH SIDE COOL		157			L-K	R65
3RD LX	10	SOURCE 4 PARNEL	575w	TOP WARM		28			M	R342
3RD LX	11	SOURCE 4 26DEG	575w	TOP SPECIAL		322			C WING 3	N/C
3RD LX	12	SOURCE 4 PARNEL	575w	TOP COOL		48			M	R80
3RD LX	13	SOURCE 4 26DEG	575w	HIGH SIDE COOL		153			N-O	R65
3RD LX	14	SOURCE 4 26DEG	575w	HIGH SIDE WARM		143			N-O	R09
3RD LX	15	SOURCE 4 PARNEL	575w	TOP WARM		27			L	R342
3RD LX	16	SOURCE 4 PARNEL	575w	TOP COOL		47			L	R80
3RD LX	17	SOURCE 4 26DEG	575w	TOP SPECIAL		321			1/4 SR W3	N/C
3RD LX	18	SOURCE 4 PARNEL	575w	TOP WARM		27			K	R342
3RD LX	19	SOURCE 4 PARNEL	575w	TOP COOL		47			K	R80
3RD LX	20	SOURCE 4 26DEG	575w	HIGH SIDE COOL		153			M-N	R65
3RD LX	21	SOURCE 4 26DEG	575w	HIGH SIDE WARM		143			M-N	R09
3RD LX-A	1	MAC QUANTUM PROFILE	750w	OVERHEAD MOVER		606			SPECIAL	RGBA
3RD LX-A	2	MAC QUANTUM PROFILE	750w	OVERHEAD MOVER		605			SPECIAL	RGBA
3RD LX-A	3	MAC QUANTUM PROFILE	750w	OVERHEAD MOVER		604			SPECIAL	RGBA
4TH LX	1	SOURCE 4 26DEG	575w	HIGH SIDE WARM		148			R-Q	R09
4TH LX	2	SOURCE 4 26DEG	575w	HIGH SIDE COOL		158			R-Q	R65
4TH LX	3	SOURCE 4 PARNEL	575w	TOP WARM		32			T	R342
4TH LX	4	SOURCE 4 PARNEL	575w	TOP COOL		52			T	R80
4TH LX	5	SOURCE 4 26DEG	575w	TOP SPECIAL		333			1/4 SL W4	N/C
4TH LX	6	SOURCE 4 PARNEL	575w	TOP WARM		32			S	R342
4TH LX	7	SOURCE 4 PARNEL	575w	TOP COOL		52			S	R80

Instrument Schedule

Theatre I

4TH LX	8	SOURCE 4 26DEG	575w	HIGH SIDE WARM		148			Q-P	R09
4TH LX	9	SOURCE 4 26DEG	575w	HIGH SIDE COOL		158			Q-P	R65
4TH LX	10	SOURCE 4 PARNEL	575w	TOP WARM		31			R	R342
4TH LX	11	SOURCE 4 26DEG	575w	TOP SPECIAL		332			C WING 4	N/C
4TH LX	12	SOURCE 4 PARNEL	575w	TOP COOL		51			R	R80
4TH LX	13	SOURCE 4 26DEG	575w	HIGH SIDE COOL		154			S-T	R65
4TH LX	14	SOURCE 4 26DEG	575w	HIGH SIDE WARM		144			S-T	R09
4TH LX	15	SOURCE 4 PARNEL	575w	TOP WARM		30			Q	R342
4TH LX	16	SOURCE 4 PARNEL	575w	TOP COOL		50			Q	R80
4TH LX	17	SOURCE 4 26DEG	575w	TOP SPECIAL		331			1/4 SR W4	N/C
4TH LX	18	SOURCE 4 PARNEL	575w	TOP WARM		30			P	R342
4TH LX	19	SOURCE 4 PARNEL	575w	TOP COOL		40			P	R80
4TH LX	20	SOURCE 4 26DEG	575w	HIGH SIDE COOL		154			R-S	R65
4TH LX	21	SOURCE 4 26DEG	575w	HIGH SIDE WARM		144			R-S	R09
5TH LX	1	SPECTRA CYC- RGBA	200w	CYC-TOP		207			CYC	RGBA
5TH LX	2	SPECTRA CYC- RGBA	200w	CYC-TOP		206			CYC	RGBA
5TH LX	3	SPECTRA CYC- RGBA	200w	CYC-TOP		205			CYC	RGBA
5TH LX	4	SPECTRA CYC- RGBA	200w	CYC-TOP		204			CYC	RGBA
5TH LX	5	SPECTRA CYC- RGBA	200w	CYC-TOP		203			CYC	RGBA
5TH LX	6	SPECTRA CYC- RGBA	200w	CYC-TOP		202			CYC	RGBA
5TH LX	7	SPECTRA CYC- RGBA	200w	CYC-TOP		201			CYC	RGBA
6TH LX	1	SOURCE 4 PARNEL	575w	XOVER-US		210			XOVER	R80
6TH LX	2	SOURCE 4 PARNEL	575w	XOVER-US		210			XOVER	R80
6TH LX	3	SOURCE 4 PARNEL	575w	XOVER-US		210			XOVER	R80
SL- BOX BOOM	1	SOURCE 4 36DEG	575w	BOX BOOM SPECIAL		341			SPECIAL	N/C
SL- BOX BOOM	2	SOURCE 4 36DEG	575w	BOX BOOM SPECIAL		342			SPECIAL	N/C
SL- BOX BOOM	3	SOURCE 4 36DEG	575w	BOX BOOM SPECIAL		343			SPECIAL	N/C
SR- BOX BOOM	1	SOURCE 4 36DEG	575w	BOX BOOM SPECIAL		344			SPECIAL	N/C
SR- BOX BOOM	2	SOURCE 4 36DEG	575w	BOX BOOM SPECIAL		345			SPECIAL	N/C
SR- BOX BOOM	3	SOURCE 4 36DEG	575w	BOX BOOM SPECIAL		346			SPECIAL	N/C
SL- FLOOR MOUNT	1	SOURCE 4 36DEG	575w	SHIN KICKER		100			SHIN	C/C

Instrument Schedule

Theatre I

SR- FLOOR MOUNT	2	SOURCE 4 36DEG	575w	SHIN KICKER		110			SHIN	C/C
SL BOOM #1	1	SOURCE 4 26DEG	575w	HI - HEAD PATTERN	G579	135			OFF-C	N/C
SL BOOM #1	2	SOURCE 4 36DEG	575w	HEAD	SEA	125			1/4 W1	CMYG
SL BOOM #1	3	SOURCE 4 36DEG	575w	MID		115			1/4 W1	C/C
SL BOOM #1	4	SOURCE 4 36DEG	575w	SHIN		105			1/4 W1	C/C
SR BOOM #1	1	SOURCE 4 26DEG	575w	HI - HEAD PATTERN	G579	131			OFF-C	N/C
SR BOOM #1	2	SOURCE 4 36DEG	575w	HEAD	SEA	121			1/4 W1	CMYG
SR BOOM #1	3	SOURCE 4 36DEG	575w	MID		111			1/4 W1	C/C
SR BOOM #1	4	SOURCE 4 36DEG	575w	SHIN		101			1/4 W1	C/C
SL BOOM #2	1	SOURCE 4 26DEG	575w	HI - HEAD PATTERN	G579	136			OFF-C	N/C
SL BOOM #2	2	SOURCE 4 36DEG	575w	HEAD	SEA	126			1/4 W2	C/C
SL BOOM #2	3	SOURCE 4 36DEG	575w	MID		116			1/4 W2	C/C
SL BOOM #2	4	SOURCE 4 36DEG	575w	SHIN		106			1/4 W2	C/C
SR BOOM #2	1	SOURCE 4 26DEG	575w	HI - HEAD PATTERN	G579	132			OFF-C	N/C
SR BOOM #2	2	SOURCE 4 36DEG	575w	HEAD	SEA	122			1/4 W2	CMYG
SR BOOM #2	3	SOURCE 4 36DEG	575w	MID		112			1/4 W2	C/C
SR BOOM #2	4	SOURCE 4 36DEG	575w	SHIN		102			1/4 W2	C/C
SL BOOM #3	1	SOURCE 4 26DEG	575w	HI - HEAD PATTERN	G579	137			OFF-C	N/C
SL BOOM #3	2	SOURCE 4 36DEG	575w	HEAD	SEA	127			1/4 W3	CMYG
SL BOOM #3	3	SOURCE 4 36DEG	575w	MID		117			1/4 W3	C/C
SL BOOM #3	4	SOURCE 4 36DEG	575w	SHIN		107			1/4 W3	C/C
SR BOOM #3	1	SOURCE 4 26DEG	575w	HI - HEAD PATTERN	G579	133			OFF-C	N/C
SR BOOM #3	2	SOURCE 4 36DEG	575w	HEAD	SEA	123			1/4 W3	CMYG
SR BOOM #3	3	SOURCE 4 36DEG	575w	MID		113			1/4 W3	C/C
SR BOOM #3	4	SOURCE 4 36DEG	575w	SHIN		103			1/4 W3	C/C
SL BOOM #4	1	SOURCE 4 26DEG	575w	HI - HEAD PATTERN	G579	138			OFF-C	N/C
SL BOOM #4	2	SOURCE 4 36DEG	575w	HEAD	SEA	128			1/4 W4	CMYG
SL BOOM #4	3	SOURCE 4 36DEG	575w	MID		118			1/4 W4	C/C
SL BOOM #4	4	SOURCE 4 36DEG	575w	SHIN		108			1/4 W4	C/C
SR BOOM #4	1	SOURCE 4 26DEG	575w	HI - HEAD PATTERN	G579	134			OFF-C	N/C
SR BOOM #4	2	SOURCE 4 36DEG	575w	HEAD	SEA	124			1/4 W4	CMYG

Instrument Schedule
Theatre I

SR BOOM #4	3	SOURCE 4 36DEG	575w	MID		114			1/4 W4	C/C
SR BOOM #4	4	SOURCE 4 36DEG	575w	SHIN		104			1/4 W4	C/C